

**PPG ETHER / MDI**

PRODUCT NAME	HARDNESS	% NCO	VISCOSITY (160 F)	POT LIFE (minutes)
EMN 2401	Shore A 80	7.20%	400 - 1200 cps	
EMN 2501	Shore A 86	7.00%	400 - 1200 cps	
EMN 2502	Shore A 95	9.00%	300 - 500 cps	

**PTMEG / MDI**

PRODUCT NAME	HARDNESS	% NCO	VISCOSITY (160 F)	POT LIFE (minutes)
TMN 2520	Shore A 95	8.80%	600 - 800 cps	
TMN 2521		7.90%		

**POLYESTER / MDI**

PRODUCT NAME	HARDNESS	% NCO	VISCOSITY (160 F)	POT LIFE (minutes)
YMN 2542	Shore A 85	6.70%	1500 - 3000 cps	
YMN 2541	Shore A 90	6.60%	1000 cps	3
YMN 2543	Shore A 97	9.40%	1500 - 2300 cps	

**PTMEG / TDI**

PRODUCT NAME	HARDNESS	% NCO	VISCOSITY (160 F)	POT LIFE (minutes)
TTN 2522	Shore D 75	9.40%	150 - 350 cps	1.5
TTN 2523	Shore D 75	9.45%	700 cps	1.5
TTN 1346	Shore A 80	3.15%	300 - 600 cps	
TTN 1520	Shore A 83	3.20%	4000 cps	5
TTN 1521	Shore A 87	3.85%	1000 - 3000 cps	
TTN 2521	Shore A 90	4.30%		10
TTN 2520	Shore A 95	6.40%	150 - 250 cps	5
TTN 2423	Shore A 95	6.40%	2500 - 5000 cps	2.5

**POLYESTER / TDI**

PRODUCT NAME	HARDNESS	% NCO	VISCOSITY (160 F)	POT LIFE (minutes)
YTN 1440	Shore D 50	5.60%	1010 cps	3.5
YTN 1546	Shore A 59	4.20%	500 - 900 cps	
YTN 1542	Shore A 72	2.65%	1100 - 1500 cps	
YTN 1545	Shore A 80	3.30%	1275 cps	6
YTN 1544	Shore A 80	3.30%	500 - 1000 cps	
YTN 1541	Shore A 81	4.20%	600 - 1000 cps	
YTN 1540	Shore A 84	3.70%	500 - 800 cps	
YTN 1547	Shore A 85	3.50%	1250 cps	8
YTN 1543	Shore A 90	3.90%	450 - 800 cps	
YTN 1548	Shore A 90	4.50%	2150 cps	5.5